



T. 1, R. 4 W. 1.<sup>st</sup> Mer.



Meanders 400

T. 2, R. 4 W. 1.<sup>st</sup> Mer.



Township No. 2 Range No. 4 West 1<sup>st</sup> Mer.  
Indiana

South Boundary of G. No. 3 R. No. 4 W.

1<sup>st</sup> Mile West from the <sup>S</sup> East corner

1.47 an Elm 13 ins. dia.

4.35 a Water course 5 lbs. wide, bears S. no water

23.63 a Hickory 4 ins. dia

34.50 a post on the Indian Boundary line, from  
which a Buck 6 ins. dia. bears N 9° W 2 lbs. dia. &  
another Do & " " " S 22° W 16 " "

This fraction beautiful 1<sup>st</sup> rate land, fit for the  
production of small grain, timber Ash, Oak,  
Poplar, Walnut, Buck, Sugar tree & some Spruce  
under brush - Marked the trees by the plan,  
to wit. Sec. No. 1 T. 2 & Sec 36 T. 3 Range 4  
West 5.14 North of the 1 mile

Tuesday Dec. 9<sup>th</sup> 1800

South Boundary of T. No. 2 R. No. 4 W. of Mer.  
1<sup>st</sup> Mile West from the S. East corner

23.28 an Elm tree 30 ins. dia

23.75 a Water course 30 lbs. wide bears S. no water

31.16 the West fork of a Lynx 18 ins. dia

36.00 Top of a hill rising from the Water course very  
steep.

42.30 the bottom of a deep gutter bearing S. no water

54.50 a path leading S. E & N. W. on the top of a  
high ridge

72.12 a Sugar tree 8 ins. dia

80.00 a post from which a Hickory 9 ins. dia. bears  
N 86° W 39 lbs. dia. & a Sugar tree 11 ins. dia. bears  
S 87° E 62 lbs. dia. This mile 1<sup>st</sup> rate land ex-  
ceedingly broken unfit for cultivation, Timber Ash  
Oak, Sugar tree Walnut, Hackberry & much  
under brush, Spruce & Brins &c.

## T. 3 R. 4 W. 1. Mer.

West

2nd Mile West

- 1.00 a Water course 100 lbs. wide, bears S. No water  
 9.00 a White Oak 30 ins. dia  
 12.92 a Sugar tree 8 " "  
 17.10 a Do 18 " "  
 35.32 a Hickory 24 " "  
 44.64 Intersected the Indian Boundary line <sup>C. 2</sup> 12.20  
 South of the 1st mile post, here fixed a post  
 corner of Sect. No. 35 Town 2 & Sec. 2 Town 1  
 Range 4 W. of the Mer. from which a Buckeye  
 9 ins. dia. bears S 56° W 37 lbs. dis. & a Sugar tree  
 8 " " " N 53½° E 38 lbs. dis. This fraction  
 the same as the mile preceding  
 Marked the trees by the plan

East Boundary of T. No. 2 R. No. 4 W.  
 South 1st Mile South from the N. East corner

- 8.29 a Hickory 10 ins. dia  
 30.42 a Buck 16 " "  
 34.50 a Water course 8 lbs. wide bears S. W. no water  
 46.6 a Beech 9 ins. dia  
 65.56 an Oak 18 " "  
 70.70 a Blue Oak 20 ins. dia  
 73.50 a Water course 10 lbs. wide, runs S. E. no water  
 80.00 a post from which a Buck 20 ins. dia. bears  
 N 58° W 21 lbs. dis. & an Oak 14 " " "  
 S 88° E 58 lbs. dis. This mile 2<sup>nd</sup> rate land of  
 the 4<sup>th</sup> quality, covered with Oak, Sugar tree  
 Buck, Walnut, Elm, Lyrus, Poplar, Hickory &c.  
 gentle ridges, Spruce & Pines

South

2nd Mile South

- 3.97 a White Oak 34 ins. dia  
 5.34 a Blue Oak 18 " "  
 14.50 The junction of two gutters bearing E. no water  
 27.50 a Water course 80 lbs. wide bears S. W. no water

- 30.8 a Sugar tree 14 ins. dia  
 35.00 a Water course 12 lbs. wide bears W. no water  
 54.50 a " " 10 " " " S. W. " "  
 57.00 a " " 10 " " " W. " "  
 62.40 a Spanish Oak 26 ins. dia.  
 77.17 Intersected the line ran West from the corner  
 of Sec. (No. 8. 9. 16 & 17 Town 2 Range 3 West  
 75 lbs. of the measure, here established a post  
 from which a Mulberry 13 ins. dia. bears S 5 E  
 16 lbs. dis. & a Buckeye 8 ins. dia. bears N 8 W  
 8 lbs. dis. Marked by the plan

- 80.00 a post in the East channel of a creek 100 lbs.  
 wide bears S E, from which a Hickory 11 ins. dia.  
 bears N 57 E 40 lbs. dis. & a Hickory 13 " "  
 " S 47 W " (This mile all ridges and  
 deep gutters, 2<sup>nd</sup> rate land & timbered with Ash,  
 Oak, Buck Sugar tree, Walnut Elm, Poplar  
 Linn, Hickory & under brush, Spice & briars  
 December 2<sup>nd</sup> 1800

Fourth 3<sup>rd</sup> Mile South

- 7.21 a Black Oak 20 ins. dia  
 13.75 a Water course 8 lbs. wide bears S. E. no water  
 32.00 Same water course, mentioned at the post  
 44.50 Same Water course bears S. E. 150 lbs. wide  
 54.00 a Buck 26 ins. dia  
 80.00 a post from which an Ash 14 ins. dia. bears  
 S 23 E 21 lbs. dis. & a Buckeye 5 ins. dia. bears N 23 W  
 8 lbs. dis. This mile much broken with high  
 ridges & deep water courses, gutters &c. Timbered  
 as the preceding mile - Land 2<sup>nd</sup> rate of the  
 best quality

Fifth 4<sup>th</sup> Mile South

- 34.57 an Elm 48 ins. dia



T. D. R. 4 N. 1<sup>st</sup> Mer.

44.83 a Lym 15 ins. dia

55.26 a Hickory 10 " "

78.2 Intersected the line ran West from the corner of Sec. (No. 20. 21. 28 & 29 Range 3 Town 2, 85 lbs. East of the measure, here fixed a post from which an Elm 15 ins. dia. bears S 5° W 27 lbs. dis. & an Elm 6 ins. dia. bears N 21° W 6 lbs. dis. This mile 1<sup>st</sup> rate land, the surface broken with large ridges & deep gutters, timbered as the preceding mile with the addition of some Yellow Locust - marked the trees by the plan

South

5<sup>th</sup> Mile South

14.70 a White Oak 26 ins. dia

24.00 a path well beaten leading S. E. &amp; N. W

28.42 a White Oak 18 ins. dia

47.10 a Water course 8 lbs. wide bears West

64.50 a " " 8 " " " North

71.83 an Elm 18 ins. dia

80.00 a post from which a Buck 30 ins. dia. bears N 72° E 35 lbs. dis. & a Do 8 " " " S 80° W 17 lbs. dis. This mile 1<sup>st</sup> rate land, moderate ridges, fit for farming & covered with Oak, Oak, Buck, Sugar tree, Walnut &c. Spice underbrush Dec. 3<sup>d</sup> 1800

South

6<sup>th</sup> Mile South

3.00 Same path as in the preceding mile

16.73 a Hickory 10 ins. dia. on the W. of a ridge

23.26 a Water course 6 lbs. wide bears West

35.79 a Lym 15 ins. dia

42.25 a deep gutter bears West

80.00 a post corner of Towns 1 & 2 Range 3 & Towns 1 & 2 Range 4, from which a Blue Ash 8 ins. dia. bears S 44° W 50 lbs. dis & another 8 " " " N 66° E 45 lbs. dis

This mile exceedingly broken high hills & deep gutters, 1<sup>st</sup> rate land, timber ash, Oak, Sugar tree, Elm, (Hackberry Line), Spruce under brush marked the trees by the plan

Indian or West Boundary of Town no. 2 Range No. 4 West of the Mer. Commenced at the 1<sup>st</sup> mile post on the Indian boundary line which was run from the North Bank of the Ohio, opposite to the mouth of the Kentucky River to Fort Recovery, course N. 5. 2. 5 E  
2<sup>nd</sup> Mile

- 5.00 Descended the hill
- 6.00 Begin to ascend a high hill
- 25.00 Rose the hill, rich land, ash & Walnut timber
- 32.00 Crossed a hollow or Water course running S. E.
- 50.00 Crossed a ridge with ash & Walnut timber, several small Water courses running S. E.
- 53.00 Two small Water courses running N. W. then saw a ridge which continues to the post
- 80.00 Set a post & numbered trees with No. 2 — Over rich soil producing large Walnut, ash & Sugar tree, a Walnut 18 ins. diam. bears 10 lbs. from the post

3<sup>rd</sup> Mile

- 27.00 a small water course runs N. East
- 28.00 Begin to ascend steep hill
- 39.00 Rose the hill, ash & White Oak timber
- 40.00 Begin to ascend a hill
- 45.00 Descended to a small Water course running N.
- 46.00 Begin to ascend a high hill
- 57.00 Rose the hill & begin to descend
- 61.00 Descended to a small Water course running N. W., thence begin to ascend

J. D. R. 4 W. 1<sup>st</sup> Mer.

80.00 Set a post & marked & numbered a tree with  
M. 3. Over land similar in quality and  
natural growth to the preceding mile

4<sup>th</sup> Mile Sept 18<sup>th</sup> 1800

15.00 Crossed a hollow running East  
20.00 another hollow & begin to ascend  
25.00 Rose the hill, Oak, Walnut, & Elm timber  
75.00 Begin to descend  
80.00 Set a post from which a Beech 6 ins. dia. stands  
30 lbs. dia. Notched & numbered - Over land  
of middling quality, somewhat hilly

5<sup>th</sup> Mile

15.00 To a small water course running East  
20.00 To a Water course running East, Oak,  
mulberry & Beech  
30.00 a small Water course running N. E. and  
begin to ascend a ridge, Beech timber  
45.00 To a small Water course runs E. begin to  
ascend  
47.00 Rose the ridge  
50.00 Descended the hill & begin to ascend  
61.00 Rose the hill  
80.00 Set a post from which a Hickory 12 ins. dia.  
stands 8 lbs. dia. N 45 E - Over land broken  
with hills, good soil, Oak, Beech, Hickory,  
B. Walnut & Elm timber

6<sup>th</sup> Mile

15.00 To a small Water course runs E. begin to ascend  
20.00 Rose the hill & begin to descend  
25.00 a small Water course runs East  
32.00 across several small hollows to a high ridge  
35.00 To a hollow or Water course runs N. E. begin  
to ascend a high steep hill

*Four Miles*

Subdivision into Sur. Mile blocks

West Between Secs. No. 24 & 25

T. D. R. 4<sup>th</sup> W. (1<sup>st</sup> Mer.)

- 6.80 a path bearing S. E. & N. W. much travelled  
 25.67 a White Oak 24 ins. dia  
 40.9 a Blue Oak 26 " "  
 49.00 a deep gutter bears South, no water  
 55.44 a White Oak 14 ins. dia  
 67.50 a Water course 10 lbs. wide bears W. no water  
 75.00 West bank of Do. bears South  
 77.00 No. appearance of the Indian boundary line  
 80.00 a post from which a Blue Oak 10 ins. dia. bears  
 N. 20° E 42 lbs. dia. & a sugar tree 9 " " "  
 S 20° W 40 lbs. dia.

## West Between Sect. No. 23 &amp; 26

- 7.36 a Spanish Oak 28 ins. dia  
 13.00 a stream 10 lbs. wide, bears S. no water  
 15.00 a sugar tree on the Boundary line 8 ins. dia.  
 marked with 3 notches on East side, this fraction  
 a broken ridge, poor timber, marked & numbered  
 to the plan —

Surveyed by Benjamin Chambers  
 A.D. 1800

<sup>2 mile blocks in</sup>  
 Subdivisions of T. No. D. R. No. 4 W. of M.  
 Having no post to run to proceeded

## West Between Sect. No. 1 &amp; 12

- 25.69 a Water course 6 lbs. wide runs South  
 34.33 a " " 10 " " " South  
 44.50 a " " 11 " " " S. E.  
 49.39 To Indian Boundary, moderate ridges  
 & water land, Oak, ash, sugar Buck & Spruce  
 At post from which a Buck 16 ins. dia. bears  
 N. 40° E 20 lbs. dia. & a Dow. Spruce 30 .. " "  
 S 49° W 23 lbs. dia.

## West On true line between Sect. No. 13 &amp; 24

- 78.96 To Indian Boundary, set post from which



T. 2 R. 4 N. 1<sup>st</sup> Mer.

411

a Blue ash 22 ins. dia. bears N 30° W 25<sup>1</sup>/<sub>2</sub> lbs. dis.  
 & a Red Hickory 17 ins. dia. bears S 30° E 58 lbs. dis.  
 Broken 1<sup>st</sup> rate, Ash, Hickory, Sugar, Buck.  
 Walnut, Elm, Linn, Buckeye, Locust & Spice

West. Between Sect. (No. 25 & 36

40.00 Set the temp.  $\frac{1}{4}$  sec. post

50.37 a Water course 10 lbs. wide, runs N. W.

80.00 Set temp. centre post, 1<sup>st</sup> rate land, moderate ridges  
 N & S Blue ash, Sugar, Walnut, Honey Locust & Buck  
 and Buckeye

West. Continue West between Sect. No. 26 & 35

28.62 To Indian Boundary - Set post from which  
 a W. Ash 18 ins. dia. bears N 77° W 11 lbs. dis. &  
 a Hickory 30 " " " S 80° E 41 lbs. dis.  
 1<sup>st</sup> rate land, Ash, W. Oak, Buck, Sugar tree,  
 Walnut and Buckeye

South On Random between Sect. (No. 25 & 26

4.26 a Water course 12 lbs. wide runs S. W.

13.94 a " " 15 " " " N 70° W

40.00 Set the temp  $\frac{1}{4}$  sec. post

80.30 To E & W line - Hilley 2<sup>nd</sup> rate land, Ash, Elm,  
 W. Oak, Sugar & Buck, Walnut, Spice &c

South. Continued South

14.06 a Water course 8 lbs. wide, runs S. W

40.00 Set this temp.  $\frac{1}{4}$  sec. post

73.33 a Water course 30 lbs. wide runs S 10° E

78.74 Same " " runs S 5° W

79.26 Tell 42 lbs. West of post corner of Sect. (No.  
 35 & 36 - Land & timber as before

North Corrected between Sect. (No. 35 & 36

Set  $\frac{1}{4}$  sec. post at average distance on true line



T. D. R. 4 W. 1<sup>st</sup> Mer.

from which a Lyrus 16 ins. dia. bears  $S 28^{\circ} W$   
17 hrs. dis. & a Hackberry 14 ins. dia. bears  $N 29^{\circ} E$   
3 1/2 hrs. distant

Continued North and fell 86 hrs. East of  
post, moved it to centre corner of Sec. (No. 25.  
26. 35 & 36 from which a Mulberry 10 ins. dia.  
bears  $N 6^{\circ} W$  21 hrs. dis. & a Blue ash 6 " "  
"  $N 12^{\circ} E$  52 1/2 hrs. dis

East. Traveled between Sec. (No. 25 & 36 and set  
14 sec. post at average distance from which a  
W. Elm 14 ins. dia. bears  $N 15^{\circ} W$  9 hrs. dis. & a  
W. ash 22 " " "  $N 15^{\circ} E$  45 " "

North From centre on true line between Sec. 25 & 26  
Set 1/2 sec. post at average distance, from which  
a Sugar 5 ins. dia. bears  $N 10^{\circ} E$  34 hrs. dis. & a  
Sugar 14 " " "  $N 13^{\circ} W$  15 " "  
continued to cor of Sec. No. 23. 24. 25 & 26

North Between Sec. (No. 23 & 24

17.54 a Water course 31 hrs. wide runs S. W  
74.74 To Indian Boundary, Mill 2<sup>nd</sup> rate, timber  
ash. Sugar, Elm, W. ash & Buck

Set post from which a Blue ash 18 ins. dia. bears  
 $N 1^{\circ} E$  16 1/2 hrs. dis. & a Sugar 8 ins. dia. bears,  
 $N 71^{\circ} 25' W$  18 1/2 hrs. dis

1805 Surveyed by  
Benj. Chambers D. D.

I certify that the foregoing Transcript of the  
Field notes of Township (No. 2 Range 4 West  
of the Mer. has been compared with the original  
in this office and found to be correct

Surveyor General's office

Cincinnati, Feb<sup>y</sup> 10. 1841

*[Signature]*  
L. G. 16